

EN



WELCOME TO THE REVOLUTION

WOVEN
byelite



iNfeel

INFEEL WOVEN

WOVEN VINYL FLOORING & WALLCOVERING & AREA RUG
& ANTI FATIGUE MAT

Woven vinyl offers the look and feel of natural sisal, wool, jute, seagrass and wood, but made from tough, durable and easy to clean vinyl, is a perfect washable flooring alternative for busy homes, offices, shops, restaurants and hotels. From home interiors to offices and hotels, Woven flooring and rugs offer practical, hard-wearing solutions with plenty of styles.



INFEEL WOVEN · DELUX



21023



21068



21014-2




21051




22016




22023



22028




21049-1



0661



0663



0664




21017




44055



44029



44051



44052




21019



21030



21018



33002




INFEEL WOVEN · JACQUARD



8014H-8



8014H-26




8014H-27




8053H-1



8102H-3



8099H



8107H-2



8090H



8077H-1




8108H



8090H-3



8089H



8117H



8110H



8093H



8095H



8084H



8013H



8056H




8020H



INFEEL WOVEN · CLASSIC




11045BS




11023BS-2



11049BS



11007BS-1




11029BS




11030BS




11049BS-1



11018BS-1




11014BS




11017BS




11020BS



11031BS




11053BS



11025BS




11037BS



11038BS



11047BS



11049BS-2



11036BS-2




11036BS-1




INFEEL WOVEN · ELEGANT



51008BP-1




51033BP



51035BP



51019BP




52056BP




52011BP




52041BP



52036BP




52060BP



52054BP



52063BP



52046BP



54025A




54025A-1




54026A-1




54027A



51032BP



51018BP



52061BP



52047BP



INFEEL WOVEN · FANTASY




6048S  





6045S  




6046S  




6043S  




6033S  



6042S  



6028S  



6040S  



6021S  




6001S  



6002S  



6003S  




6036S  





6038S  



6019S  



6041S  



6047S  



6029S  




6027S  



6031S  

INFEEL WOVEN · SILK ROAD




8030H  



8083H  



8054H  



8081H  




8027H  



8027H-1  



8029H  



8029H-1  



8091H  

Note:



Woven vinyl tiles




Woven vinyl rolls



Pattern

Woven vinyl flooring is a creative and contemporary flooring concept based on several different tile shapes. Your pattern designs will vary in looking on the choice of colors, the directions of the yarns and the light directions.



TRIANGLE



PLANKS




HEXAGONE



DECO




SCALE




WING


DIFFERENT BACKINGS




Comfort Backing For Rolls And Tiles




PVC Backing For Rolls



PVC Foam Backing For Rugs



Wall Covering With Non Woven Backing



Wall Covering With Thin PVC Backing



















TECHNICAL INFORMATION

TECHNICAL INFORMATION

Method

Standard

	Method	Rolls	Tiles	Wall covering	Rugs
 Weight	ISO 8543	2.7-3.1kg/m ²	3.2-3.8kg/m ²	800-1300g/m ²	1.5-3kgs/m ²
 Thickness	ISO 1765	2.5mm-2.8mm	3.5mm	1mm-1.3mm	1.5-4mm
 length	EN 426	20-25m	-	20-25m	-
 width	EN 426	2m	-	2m	2m
 Tile dimension	EN 994	-	50x50cm	-	-
 Dimension stability	ISO 2551	<0.25%	<0.25%	<0.25%	<0.25%
 Curvature	EN 434	<2mm	<2mm	<2mm	<2mm
 Caster Chair	EN 985	Continuous use	Continuous use	-	Continuous use
 Body voltage	ISO 1815	≤2.0KV	≤2.0KV	≤2.0KV	≤2.0KV
 Thermal resistance	ISO 8302	Suitable for underfloor heating	Suitable for underfloor heating	-	Suitable for underfloor heating
 Colour fastness to light	ISO 105-802	>6	>6	>6	>6
 Anti-slip property	EN 13893	>0.3	>0.3	-	>0.3
 Impact sound insulation*	EN ISO 10140	11-12dB	11-12dB	11dB	-
 Reaction to fire	EN 13501-1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
 Airborne sound absorption*	EN ISO 354	-	0.05	-	-
 CE certification	EN 14041 , EN 15114	NO.EC.1282.OA140305.AYD0738			
Smoke density	ASTM E662	<450	<450	<450	<450
REACH test	(REACH)1907/2006	NO.BSTDG220602252703.CR			
ISO 9001 certification	ISO 9001:2008	NO.GXB2022Q00373			
ISO14001 certification	ISO 14001:2004	NO.GXB2022E00374			
Formald ehyde content test	ASTM D6007-14	NO.191106006SHF-004			



WOVEN
byelite

Exclusive distributor EMEA

www.holaelite.com/en/infeel-woven

elite · Calle Zeppelin 21 - 23 Parc. 9 Nave 13 · P.I. Espiritu Santo · 15650 · Cambre (A Coruña) · 981 276 459 · info@holaelite.com